





#9GF16

FORD F-150 XL/XLT 2021-2023 GRILLE
BRACKET FOR CONCEPT POD MINI II



PART LIST

- A: 4x No.1 Front Plates
- B: 4x No.2 Front Plates
- C: 8x Back Plates
- D: 8x M4 Torx Head Screws
- E: 8x M4 Lock Washer
- F: 8x M4 Flat Washer



REQUIRED TOOLS

- Security Torx L-Key(Included)
- M5 HexWrench(Not Included)




TECH NOTES

- No cutting or drilling is required for Concept Grille™ lights installation.
- Approximate install time: 20 minutes (not including harness installation)




STEP 1 – PLAN THE INSTALL

Unbox the grille brackets and lay out all of the components. Determine where you want to install the lights on the grille. The bracket installation location can refer to Figure 1.



NOTES:

This bracket model fix to Concept Pod Mini II. one bracket kit can install to 4 lights.






(Concept Pod Mini II, SKU #4124D/4128D sold separately)



STEP 2 - INSTALL THE GRILLE BRACKET + LIGHT

1. Mount the front plates with two(2) M5 hex screws. (Figure 2)
2. Put the back plate at the back of the grille. (Figure 3)
3. Mount the lights to the back plates with four (4) torx head screws. (Figure 4)



ARC LIGHTING
BASTROP, TEXAS 78602
UNITED STATES OF AMERICA
WWW.ARC.LIGHTING



⚠ WARNING: CANCER
AND REPRODUCTIVE HARM
WWW.P65WARNINGS.CA.GOV